

# Photovoltaic panel 445 thickness



## Overview

---

1908 mm (L)<sup>1</sup> x 1134 mm (W)<sup>1</sup> x 35 mm (D)<sup>2</sup> / 75. 38" (D)<sup>2</sup> 12x10 pieces bifacial monocrystalline solar cells series strings 1200mm (cable length can be customized), 4mm<sup>2</sup> URE solar panel systems. Perfect for the solar contractor or handy homeowner. Silk® Rhino is a new series of monocrystalline PV modules resistant to hail and high snow loads thanks to the 2 extra aluminum bars on the back and the increased glass thickness. The module configuration with 96 cells and a power of 455 Wp. Subject to a manufacturing tolerance of +/- 5 %. Electrical specification measured under standard test conditions: Irradiation 1 kW/m<sup>2</sup> with light spectrum AM 1. 5 and a cell temperature of 25°C. CAUTION: READ SAFETY AND INSTALLATION INSTRUCTIONS BEFORE USING THE PRODUCT. 5 spectrum according to EN 60904 -3. Average relative efficiency reduction of 3. IBC Solar AG Solar Panel Series Black 445-455 LS-TA2. Copyright © 2022 URE Corp. \*Reduction in efficiency from 1000W/m<sup>2</sup> to 200W/m<sup>2</sup> at 25°C:.

## Photovoltaic panel 445 thickness

---



### **Solar Panel Half-cut N-Type TOPCon 445 Wp**

SOLAR PANEL 445 WATTS , EGING , Half-cut , N-Type TOPCon , 108 Cells PV Module , Power tolerance 0/+3W , L 1722 mm, W 1134 mm, D 30 mm , 20.20 kg , Material Warranty 15 years , Linear ...

[Get Price](#)

---

### **URE FBM445M7G-BB 445 WATT ALL BLACK**

1200mm (cable length can be customized), 4mm<sup>2</sup>. URE solar panel systems. Perfect for the solar contractor or handy homeowner.

[Get Price](#)



### **IBC Solar , Black 445-455 LS-TA2 , Solar Panel ...**

Detailed profile including pictures, certification details and manufacturer PDF.

[Get Price](#)


---

## Monocrystalline Solar Panel

## 445 WP

Solar panels with a capacity of 445 watts made of silicon solar cells Monocrystalline.

[Get Price](#)



## 430W 435W 440W 445W 450W 455W Mono Solar ...



Our photovoltaic solar panels feature a high-quality ETFE coating on the surface to ensure durability and waterproofing, greatly extending the product lifespan.

[Get Price](#)

## Viridian Clearline High Performance Monocrystalline All Black 445W

445 Wp Clearline PV High Performance Monocrystalline Silicon Solar Photovoltaic Panel. M10 format half cut cells, black backing sheet. For roof integration with M10 roofing kits.

[Get Price](#)



## URECO\_US\_Peach\_FBM\_M7G ...

FBM445M7G-BB / 120 cells 445 Watt Mono-Crystalline PV Module UL 61730, CE-compliant

[Get Price](#)


## DT-M-0084 A Datasheet\_Vertex S+\_NEG9R.25\_EN\_2024\_A\_web

STC: Irradiance 1000W/m<sup>2</sup>, Cell Temperature 25°C, Air Mass AM1.5.  
 \*Measuring tolerance: ±3%. NOCT: Irradiance at 800W/m<sup>2</sup>, Ambient Temperature 20°C, Wind Speed 1m/s. ed connector. CAUTION: ...


[Get Price](#)


## 80051 Clearline fusion Data Sheet 445AG-M10 v1-1-EN

Sleek, low-profile integrated solar that replaces the roof covering for an improved aesthetic and for simple roof maintenance, now at similar cost to above-roof panels.

[Get Price](#)

## Contact Us

For catalog requests, pricing, or partnerships, please visit:

<https://cannabiswow.es>

